

- 020 +

Dimension
30x180

LIVINGSTONE





Sinuous and harmonious lines recall to the memory the architectural details typical of our Classic culture in a very modern interpretation.

Metaphysics and Classicism coexist in the CLASS model, giving rise to a highly iconic radiator with a contemporary aesthetics.



Class

Stone:


- ~ white
- ~ coloured (see finishings table)
- ~ coloured in RAL scale


Frame:

- ~ matt black as standard
- ~ Livingstone® colours (see finishings table) or RAL scale upon request
- ~ provided with brackets for an easy and quick installation
- ~ can be accessorised (see table in accessories section)

Control panel:

- ~ the electronic display as standard in the electric and hybrid versions.
 - ~ positioned on the right side (on left side upon request with no surcharge)
 - ~ programmable
- ~ In the hydronic version the radiator is manually controlled through your home thermostat.





ARTICLE	SIZE (LxH)	POWER	WHITE	COLOURED	RAL
8CLE0318	30X180	500 W	1.074	1.166	1.232
8CLE0511	55X110	750 W	1.085	1.172	1.248
8CLE0515	55X150	1000 W	1.221	1.313	1.401
8CLE0518	55X180	1400 W	1.297	1.401	1.493
Surcharge for frame in different finishing (black as standard)			65	65	82



ARTICLE	SIZE (LxH)	POWER Δt 50°C	WHITE	COLOURED	RAL
8CLW0318	30X180	480 W	1.123	1.210	1.286
8CLW0511	55X110	720 W	1.134	1.221	1.303
8CLW0515	55X150	1200 W	1.297	1.401	1.488
8CLW0518	55X180	1680 W	1.395	1.504	1.602
Surcharge for frame in different finishing (black as standard)			65	65	82



ARTICLE	SIZE (LxH)	POWER	POWER Δt 50°C	WHITE	COLOURED	RAL
8CLH0318	30X180	500 W	480 W	1.395	1.504	1.602
8CLH0511	55X110	750 W	720 W	1.406	1.515	1.613
8CLH0515	55X150	1000 W	1200 W	1.586	1.711	1.820
8CLH0518	55X180	1400 W	1680 W	1.717	1.848	1.957
Surcharge for frame in different finishing (black as standard)			65	65	82	

REMARKS



- _ Valves Kit to be ordered separately.
- _ It is possible to equip the radiator with different accessories.

TYPE:

⚡ Electric › 💧 Hydronic › ⚡💧 Hybrid

Configuration:

› ▬ horizontal › ▮ vertical
(Horizontal versions must not be installed vertically and viceversa)

Delivery time:

2/3 weeks

3/4 weeks