




VERSION: ELECTRIC WITH HIDDEN ELEMENT II


SIDE VIEW



FRONT VIEW




on/off switch with LED
voltage AC 230v




TOP VIEW

model		DI 1000	DI 1500	DI 2000	DI30 1000	DI30 1500	DI30 2000
height (mm)	a	230	230	230	300	300	300
total width (mm)	b	1000	1500	2000	1000	1500	2000
depth (mm)	c	160	160	160	160	160	160
capacity (L)		1,4	2,2	3,0	1,4	2,2	3,0
electric (W)		1600	1800	2000	1600	1800	2000


VERSION: CENTRAL HEATING



solution 1



solution 2



MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

ACCESSORIES




KIT MURAL



MIMOO
SWITCH



DOMOTIC
TOUCH



model		DI 1000	DI 1500	DI 2000	DI30 1000	DI30 1500	DI30 2000
height (mm)	a	230	230	230	300	300	300
total width (mm)	b	1000	1500	2000	1000	1500	2000
depth (mm)	c	160	160	160	160	160	160
width between axles (mm)	d	880	1380	1880	880	1380	1880
central heating (W)		948	1460	1942	1422	2190	2913