

*FACE ZERO\_Air, il primo radiatore raso muro di Irsap. Un prodotto dallo spiccato valore estetico che garantisce complanarità con le pareti, integrandosi e fondendosi in ambienti di grande valenza architettonica. Il modello Face Zero\_Air è la versione ad incasso con sistema integrato di ventilazione che consente alti rendimenti ed alta efficienza energetica. La gestione del comfort è garantita dall'integrazione dell'unità modulante NOW, presente di serie in tutte le versioni. Grazie all'ampia superficie radiante e alla forma della cornice che permette la perfetta diffusione dell'aria calda, i radiatori Face Zero\_Air sono ideali per il funzionamento di impianti a bassa temperatura. L'apertura a libro con chiusura a calamita, sicura e facile, garantisce una veloce e corretta pulizia e un pratico accesso a tutte le parti funzionali del corpo scaldante. Il radiatore può essere integrato direttamente ai "Sistemi Now" ed al controllo remoto tramite smartphone. Face Zero\_Air è disponibile nelle nuance di colore Irsap (Classic e Special) e nelle raffinate finiture esclusive in acciaio inox proposte dallo Studio Citterio.*



Face Zero Air, High 1800 mm, Length 600 mm, Pearl White,

## Construction features

- radiating panel
- 1/2" Gas right threading
- maximum working pressure 4 bar
- maximum working temperature 95°C
- radial fans with low fuel motors

## Standard equipment

- 2 lockshield valves 1/2" M 1/2" F – FE connection
- flexible pipes for ease of installation
- wall fastening system
- power supply unit
- modulating thermostatic head

## Plus



## Technical data

Model	Depth (mm)	Height (mm)	Width (mm)	Conn. C. (mm)	Weight (kg)	Capacity (lt)	COM_PRODUCTS_TABLE_DATA_BTU	Δt=50°C (kcal/h)	Δt=50°C (Watt)	Δt=40°C (Watt)	Δt=30°C (Watt)	Δt=20°C (Watt)	Exponent
FACE ZERO_Air 1600 x 500	75,0	1597	500	50	31,90	1,20	2.559,0	645,0	750,0	569,0	398,0	241,0	1,240
FACE ZERO_Air 1600 x 600	75,0	1597	598	50	38,80	1,60	3.412,0	860,0	1.000,0	760,0	533,0	324,0	1,240
FACE ZERO_Air 1800 x 500	75,0	1797	500	50	36,70	1,40	3.207,0	808,0	940,0	713,0	499,0	302,0	1,230
FACE ZERO_Air 1800 x 600	75,0	1797	598	50	43,60	1,80	4.163,0	1.049,0	1.220,0	927,0	651,0	395,0	1,230

(\*) Thanks to the high performance of Irsap Face Zero\_Air radiators, the ideal Δt for low temperature projects is Δt at 30°C.


For Δt different from 50°C use the formula:  $Q=Q_n (\Delta t / 50)^n$

### Standard equipment


- 2 lockshield valves 1/2" M 1/2" F – FE connection
- flexible pipes for ease of installation
- wall fastening system
- power supply unit
- modulating thermostatic head

## Colors and Finishes


### CLASSIC




Bianco Edelweiss  
Opaco  
Cod. 34




Bianco Whisper  
Peach  
Cod. 36




Avorio - RAL 1013  
Cod. 02




Jasmin Opaco  
Cod. 35




Beige Naturale  
Cod. 38




Beige Cream  
Cod. 26




Giallo - RAL 1021  
Cod. 04




Giallo Melone - RAL  
1028  
Cod. E7




Arancio - RAL 2004  
Cod. 17




Marrone Ruggine -  
RAL 8004  
Cod. E1




Marrone - RAL 8017  
Cod. 09




Vinaccia - RAL 3005  
Cod. H9




Amaranto - RAL 3003  
Cod. 06




Rosso - RAL 3000  
Cod. 05




Rosso Fragola - RAL  
3018  
Cod. Y3




Rosa - RAL 3015  
Cod. R2



Lilla Bluastro - RAL  
4005  
Cod. R3




Porpora Traffico -  
RAL 4006  
Cod. R6




Verde Bosco - RAL  
6005  
Cod. 19




Verde Erba - RAL  
6018  
Cod. N3




Verde Salvia - RAL  
6021  
Cod. E6



Verde Greenwich  
Cod. 28




Blu Pastello - RAL  
5024  
Cod. G7




Blu Colomba - RAL  
5014  
Cod. G9




Blu Hewi  
Cod. 11



Grigio Manhattan  
Cod. 03




Nero - RAL 9005  
Cod. 10



Deep Blue  
Cod. 2F


### SPECIAL



Bianco Perla  
Cod. 16



Quartz 1  
Cod. 1C




Sablé  
Cod. Y4




Quartz 2  
Cod. 2C




Sunstone  
Cod. 2D




Petra  
Cod. 3D




Bruno Tabacco  
Cod. 1B



Flame Red  
Cod. 7D



## SURFACES



The Colors used in this folder are not considered binding. The different technological painting processes and the materials used for the realization can not have a perfect color match with the delivered product. Irsap company reserves the right to introduce at any time whatever modifications necessary to the improvement of the product.