



FRAME PICTURE

ARTIC - CORALLO - LAGOON

artwork **Mariano Moroni**



**EUROPEAN
WARRANTY**

MATERIAL:

Horizontal collector in painted carbon steel with \varnothing of 30 mm.
Heating elements in painted carbon steel.
Heating plate in painted carbon steel.

FIXING KIT:

Brackets, airvent, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick, user notice.
The kit is certified from TÜV in compliance with VDI 6036-class 4.

PACKAGING:

The radiator is protected by a wooden crate and carton.
User notice included.

PAINTING PROCESS:

Painted with ecological epoxy. (Certificate DIN 55900-1,-2).
Thermal outputs certified in accredited laboratories in compliance with European norm EN442.

PRODUCT CERTIFICATES



P. max: 5 bar

T. max: 110° C

Available for central heating systems

Connections: n° 2 x 1/2" gas - n° 1 x 1/8" gas

HOW TO ORDER THE FRAME PICTURE RADIATORS

ARTICLE CODE STRUCTURE

Radiator model	Radiator dimensions	Article code of the connection	Model code Frame Artic: G10 Frame Corallo: G09 Frame Lagoon Rosa: P21 Frame Lagoon Azul: P22 Custom Frame: P99	Constant value
AAAA	BBB CC	DDD	EEE	B

Example

Radiator model Example: Frame radiator	Radiator dimensions Example: mm 480x1832	Article code of the connection Example: connection H01	Model code Example: Frame Corallo G09	Constant value
FRST	480 18	V11	G09	B

EXAMPLE OF ARTICLE CODE CREATION

In case of a FRAME CORALLO 480x1832 mm, with V11 connection.

The article code will be:

FRST 480 18 V11 G09 B

ACCESSORIES



Elegant square manual valve kit painted pure white R01

Copper connection \varnothing 12/14/15
Art. Nr. 5991990310553

Multilayer connection \varnothing 16
Art. Nr. 5991990310552



Elegant square pipe centres 50 mm valve kit painted pure white R01 with thermostatic head - right

Copper connection \varnothing 12/14/15
Art. Nr. 5991990310543

Multilayer connection \varnothing 16
Art. Nr. 5991990310542



STRAIGHT HANGER POLISHED


L. 368 (L= 404 mm)
Art. Nr. 5991990300187

L. 480 (L= 516 mm)
Art. Nr. 5991990300183

L. 592 (L= 628 mm)
Art. Nr. 5991990300184


L. 704 (L= 740 mm)
Art. Nr. 5991990300188

V9÷V10



Measures for Elegant square manual valve

V11



Measures for valves type Cordivari Elegant Square with thermostatic head and pipe centres 50 mm

FRAME ARTIC (G10)




Frame ARTIC presents the fascination of a snow-white "abstract landscape". Its lines and its coating in shades of grey and black are lost in a sea of white, creating horizons, skies and territories that belong to the soul. Artic involves and stirs emotions just like in front of a painting. This radiator, available in four sizes, is versatile and functional and it represents an important contribution to interior architecture.

FRAME CORALLO (G09)




Primitive signs and colours presented in a contemporary style have inspired the Frame CORALLO furnishing radiator. The sinuous lines cover the entire heating surface radiating a joyful dynamism. Frame Corallo enriches everyday life with new visual and emotional stimuli. Versatile and stylish, it fits in any environment and can be accessorised with handy and essential satin stainless steel towel racks.

FRAME LAGOON (P21 ROSA - P22 AZUL)




ROSA AZUL

Infinite color gradations, reflections, but, above all, transparency of colors: these are the Frame Lagoon distinctive features. The brightness and the enriched chromatic effects, evoke the perception of flowing water. The original paint comes from the Artist's expert hands, that using old painting techniques impress the water-based color on paper with appropriate designed paintbrushes' bristles.



Standard Connections



Always specify the kind of connection needed when ordering (V09 - V10 - V11 - V12 - V13 - V14).

Legend =
 ▶ In ▷ Out ≪≪ Airvent
 | Pipe Centres L Width □ Connection

FRAME PICTURE VERTICAL

VERTICAL

DDD: replace with the type of connection.

EEE: replace with desired artwork.

Art. Nr.	Height		Width		Pipe Centres (V09 - V10)	Pipe Centres (V14)	Dry Weight [Kg]	Surface [m ²]	Water Content		Thermal output Watt		Exponent n
	H [mm]	L [mm]	I [mm]	I [mm]	[lt]	Δt = 50°C			Δt = 30°C				
FRST 368 10 DDD EEE B	1032	368	282	168	7,2	0,75	2,64	381	197	1,2894			
FRST 480 10 DDD EEE B		480	394	280	9,7	0,98	3,5	499	258	1,2894			
FRST 592 10 DDD EEE B		592	506	392	12	1,21	4,4	617	319	1,2894			
FRST 704 10 DDD EEE B		704	618	504	14,6	1,44	5,2	735	380	1,2894			
FRST 368 12 DDD EEE B	1232	368	282	168	8,6	0,89	3,02	455	236	1,2881			
FRST 480 12 DDD EEE B		480	394	280	11,4	1,17	4	596	309	1,2881			
FRST 592 12 DDD EEE B		592	506	392	14	1,44	5,1	736	381	1,2881			
FRST 704 12 DDD EEE B		704	618	504	17,2	1,72	6,1	877	454	1,2881			
FRST 368 14 DDD EEE B	1432	368	282	168	9,9	1,04	3,5	529	274	1,2867			
FRST 480 14 DDD EEE B		480	394	280	13,2	1,36	4,6	692	359	1,2867			
FRST 592 14 DDD EEE B		592	506	392	16,5	1,68	5,9	856	444	1,2867			
FRST 704 14 DDD EEE B		704	618	504	19,8	2,00	7,00	1020	529	1,2867			
FRST 368 16 DDD EEE B	1632	368	282	168	11,2	1,16	3,8	595	309	1,2854			
FRST 480 16 DDD EEE B		480	394	280	14,9	1,55	5,2	789	409	1,2854			
FRST 592 16 DDD EEE B		592	506	392	18,6	1,94	6,8	976	506	1,2854			
FRST 368 18 DDD EEE B		1832	368	282	168	12,5	1,33	4,37	676	351	1,2840		
FRST 480 18 DDD EEE B	480		394	280	16,6	1,74	5,8	880	457	1,2840			
FRST 592 18 DDD EEE B	592		506	392	20,9	2,15	7,2	1100	571	1,2840			
FRST 704 18 DDD EEE B	704		618	504	25	2,56	8,7	1304	677	1,2840			
FRST 368 20 DDD EEE B	2032	368	282	168	13,5	1,47	4,85	750	390	1,2826			
FRST 480 20 DDD EEE B		480	394	280	18,4	1,93	6,4	978	508	1,2826			
FRST 592 20 DDD EEE B		592	506	392	23	2,38	8	1222	635	1,2826			
FRST 704 20 DDD EEE B		704	618	504	27,6	2,84	9,6	1447	751	1,2826			

Always specify while ordering the desired Artwork type: CORALLO G09 | ARTIC G10 | LAGOON ROSA P21 | LAGOON AZUL P22

For output at different Δt than 50°C, please refer to the following formula: desired output = output at Δt 50°C x (desired Δt/50)ⁿ



FRAME PICTURE PLUS

ARTIC - CORALLO - LAGOON

artwork **Mariano Moroni**



**EUROPEAN
WARRANTY**

MATERIAL:

Horizontal collector in painted carbon steel with \varnothing of 30 mm.
Heating elements in painted carbon steel.
Heating plate in painted carbon steel.

FIXING KIT:

Brackets, airvent, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick, user notice.

PACKAGING:

The radiator is protected by a wooden crate and carton.
User notice included.

PAINTING PROCESS:

Painted with ecological epoxy. (Certificate DIN 55900-1,-2).
Thermal outputs certified in accredited laboratories in compliance with European norm EN442.

PRODUCT CERTIFICATES



P. max: 5 bar

T. max: 110° C

Available for central heating systems

Connections: n° 2 x 1/2" gas - n° 1 x 1/8" gas

HOW TO ORDER THE FRAME PICTURE PLUS RADIATORS

ARTICLE CODE STRUCTURE

Radiator model	Radiator dimensions	Article code of the connection	Model code Frame Artic: G10 Frame Corallo: G09 Frame Lagoon Rosa: P21 Frame Lagoon Azul: P22 Custom Frame: P99	Constant value
AAAA	BBB CC	DDD	EEE	B

Example

Radiator model Example: Frame radiator	Radiator dimensions Example: mm 480x1832	Article code of the connection Example: connection H01	Model code Example: Frame ARTIC G10	Constant value
FRPL	480 18	V11	G10	B

EXAMPLE OF ARTICLE CODE CREATION

In case of a FRAME ARTIC PLUS 480x1832 mm, with V11 connection.

The article code will be:

FRPL 480 18 V11 G10 B

ACCESSORIES



Elegant square manual valve kit painted pure white R01

Copper connection \varnothing 12/14/15
Art. Nr. 5991990310553

Multilayer connection \varnothing 16
Art. Nr. 5991990310552



Elegant square pipe centres 50 mm valve kit painted pure white R01 with thermostatic head - right

Copper connection \varnothing 12/14/15
Art. Nr. 5991990310543

Multilayer connection \varnothing 16
Art. Nr. 5991990310542



STRAIGHT HANGER POLISHED


L. 368 (L= 404 mm)
Art. Nr. 5991990300187

L. 480 (L= 516 mm)
Art. Nr. 5991990300183

L. 592 (L= 628 mm)
Art. Nr. 5991990300184


L. 704 (L= 740 mm)
Art. Nr. 5991990300188

V9÷V10



Measures for Elegant square manual valve

V11



Measures for valves type Cordivari Elegant Square with thermostatic head and pipe centres 50 mm

FRAME ARTIC (G10)



Frame ARTIC propone la suggestione di un candido "paesaggio Abstract". Le linee e le campiture con i toni del grigio e del nero nel mare di bianco a formare orizzonti, cieli e territori che appartengono all'anima. Artic vuole coinvolgere ed emozionare come accade di fronte ad un dipinto. Il corpo scaldante, disponibile in quattro misure, è versatile e funzionale, ma è anche un contributo qualitativo nuovo all'architettura di interni.

FRAME CORALLO (G09)




Segni e colours primitivi rivisti in chiave contemporanea hanno ispirato il radiatore d'arredo Frame CORALLO. La vertigine delle linee sinuose campisce l'intera superficie scaldante conferendo un festoso dinamismo. Frame Corallo vuole arricchire di nuovi stimoli visivi ed emozionali il vivere quotidiano. Accessoriato con comodi ed essenziali maniglioni portasalviette in satin stainless steel.

FRAME LAGOON (P21 ROSA - P22 AZUL)




ROSA AZUL

Portarsi in casa la percezione dell'acqua, un brandello di natura nella nostra quotidianità è l'aspetto che ha ispirato l'artista Mariano Moroni nel creare la veste pittorica del radiatore d'arredo Lagoon. Il colour ad acqua viene steso con pennelli opportunamente adattati nella consistenza della setola, secondo antiche tecniche, per imprimere su carta la delicatezza, la luminosità, la raffinatezza, riflessi e sfumature in quantità ma soprattutto la trasparenza del colour.



Standard Connections



Always specify the kind of connection needed when ordering (V09 - V10 - V11 - V12 - V13 - V14).

Legend =
 ▶ In ▷ Out ≪ Airvent
 | Pipe Centres L Width □ Connection

FRAME PLUS VERTICAL

DDD: replace with the type of connection.

EEE: replace with desired artwork.

Art. Nr.	Height H [mm]	Width L [mm]	Pipe Centres		Dry Weight [Kg]	Surface [m ²]	Water Content [lt]	Thermal output Watt		Exponent n
			(V09 - V10) I [mm]	(V14) I [mm]				Δt = 50°C	Δt = 30°C	
FRPL 368 10 DDD EEE B	1032	368	282	168	14,3	1,35	4,5	580	296	1,3152
FRPL 480 10 DDD EEE B		480	394	280	20,2	1,84	6,3	790	404	1,3152
FRPL 592 10 DDD EEE B		592	506	392	25,0	2,32	7,8	999	510	1,3152
FRPL 704 10 DDD EEE B		704	618	504	28,6	2,81	9,0	1209	618	1,3152
FRPL 368 12 DDD EEE B	1232	368	282	168	17,1	1,61	5,3	691	353	1,31355
FRPL 480 12 DDD EEE B		480	394	280	24,1	2,19	7,5	940	481	1,31355
FRPL 592 12 DDD EEE B		592	506	392	29,8	2,77	9,3	1190	608	1,31355
FRPL 704 12 DDD EEE B		704	618	504	34,2	3,35	10,7	1439	736	1,31355
FRPL 368 14 DDD EEE B	1432	368	282	168	19,9	1,86	6,2	801	415	1,2867
FRPL 480 14 DDD EEE B		480	394	280	28,0	2,54	8,8	1091	565	1,2867
FRPL 592 14 DDD EEE B		592	506	392	34,7	3,21	10,8	1381	716	1,2867
FRPL 704 14 DDD EEE B		704	618	504	39,7	3,88	12,4	1670	865	1,2867
FRPL 368 16 DDD EEE B	1632	368	282	168	23,9	2,17	7,5	930	476	1,3117
FRPL 480 16 DDD EEE B		480	394	280	31,9	2,89	10,0	1241	635	1,3117
FRPL 592 16 DDD EEE B		592	506	392	39,8	3,61	12,5	1551	794	1,3117
FRPL 368 18 DDD EEE B	1832	368	282	168	25,4	2,38	7,9	1022	523	1,3105
FRPL 480 18 DDD EEE B		480	394	280	35,7	3,24	11,2	1455	745	1,3105
FRPL 592 18 DDD EEE B		592	506	392	45,1	4,10	13,7	1819	931	1,3105
FRPL 704 18 DDD EEE B		704	618	504	50,8	4,96	15,9	2132	1092	1,3105
FRPL 368 20 DDD EEE B	2032	368	282	168	28,2	2,63	8,8	1133	580	1,3093
FRPL 480 20 DDD EEE B		480	394	280	39,5	3,59	12,3	1568	803	1,3093
FRPL 592 20 DDD EEE B		592	506	392	49,9	4,54	15,0	1960	1004	1,3093
FRPL 704 20 DDD EEE B		704	618	504	56,4	5,49	17,6	2363	1211	1,3093

Always specify while ordering the desired Artwork type: CORALLO G09 | ARTIC G10 | LAGOON ROSA P21 | LAGOON AZUL P22

For output at different Δt than 50°C, please refer to the following formula: desired output = output at Δt 50°C x (desired Δt/50)ⁿ

FRAME PICTURE



Customize the:

**EUROPEAN
WARRANTY**

- **FRAME**
- **FRAME PLUS**

radiators with your favourite pictures, forever imprinted on the surface.



FRAME

Height	Width
H [mm]	L [mm]
1032	368
	480
	592
	704
1232	368
	480
	592
	704
1432	368
	480
	592
	704
1632	368
	480
	592
	704
1832	368
	480
	592
	704
2032	368
	480
	592
	704

FRAME PLUS

Height	Width
H [mm]	L [mm]
1032	368
	480
	592
	704
1232	368
	480
	592
	704
1432	368
	480
	592
	704
1632	368
	480
	592
	704
1832	368
	480
	592
	704
2032	368
	480
	592
	704



HOW TO ORDER CUSTOM IMAGES (P99)

- Choose between FRAME / FRAME PLUS (painted model).
- Select the size (H and L) and the connection type.
- Send your high resolution image (300 dpi - jpg, tiff, eps file), or your real picture. (Material used for rendering will not be given back).
- Send the relevant acquittance to Cordivari dealer (*All images send by customer must respect all relevant rules of copyright*).
- Our graphic team will resize the desired image on the selected radiator.
- Approve the pdf preview and order.

HOW TO ORDER STANDARD IMAGES CORDIVARI

- Choose between FRAME / FRAME PLUS (painted model).
- Select the size (H and L) and the connection type.
- Choose a picture from our image gallery.
- Our graphic team will resize the desired image on the selected radiator.
- Approve the pdf preview and order.

IMAGE GALLERY



Frame Picture radiators are made in painted carbon steel using a unique and everlasting painting process. The Frame Picture painting process was awarded by ANVER (Italian Painters Association), during "Polveri" Exhibition (Verona, Italy), where it stood out for its innovation, high quality finishing and environment friendly approach.

PHOTOS BY : PIERO E ITALO DEL GOVERNATORE - ITALCOLOR



FISHER (P09)



BAY (P10)



SHORE (P11)

PICTURES



LANDSCAPE (P99)



LAKE (P99)



RIVER (P18)



THE KISS (P99)



SILHOUETTE (P01)



IRIS 03 (P27)



PARIS (P99)

FRAME SEASON - ARTWORK BY MARIANO MORONI



ABSTRACT 01 (G11)



ABSTRACT 02 (G12)



ABSTRACT 03 (G13)



ABSTRACT 04 (G14)



ABSTRACT 05 (G15)



ABSTRACT 06 (G16)

INOX STYLE

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

VALVES AND ACCESSORIES
TECHNICAL SUPPORT