



TBT HORIZONTAL

Horizontal radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured

HW EL MX


ORDER EXAMPLE To correctly order this model follow the example specified below:

PRODUCT	TBT#120 OR 2 IDR CRO
TBT#120 OR2	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
CRO	Colour code to be checked in the Tubes Colour Chart
RECESSED PART	INCTBT#120 2 IDR
INCTBT#120 2	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
ACCESSORIES	
Cod. GVR	One way Remote Valve Assembly, CHROME finish
Cod. GVRC#*	One way Remote Valve Assembly, COLOUR finish*
* Specify the color code, e.g.: 9010, after checking the Tubes Colour Chart	




CONNECTION TO WATER SYSTEM

The connection to the water and/or electric system is with the Recessed Part for TBT which can be ordered separately but is strictly required.



LAYOUT OF RECESSED PART



The full price of the needed TBT is calculated by summing the price of the external part (external TBT), the corresponding recessed part (recessed TBT) and the price of only one Remote Valve Assembly (GVR). VAT and transport costs are not included

PRICE ONLY FOR THE EXTERNAL PART (TBT external) Includes the external TBT and everything required for installation to the recessed part (see below).

Model	L (cm)	Coloured version		Chrome plated version		Electric version	HYDRAULIC VERSION		ELECTRIC VERSION		DUAL VERSION	
		Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C		Coloured version (€)	Chrome plated version (€)	Coloured version (€)	Chrome plated version (€)	Coloured version (€)	Chrome plated version (€)
SINGLE	TBT#200OR1	200,0	199	110	127	65	93					
	TBT#180OR1	180,0	186	102	114	58	83					
	TBT#150OR1	150,0	151	83	95	49	68					
	TBT#120OR1	120,0	127	70	76	39	53					
DOUBLE	TBT#200OR2	200,0	398	219	254	130	186					
	TBT#180OR2	180,0	372	203	228	117	166					
	TBT#150OR2	150,0	302	166	190	98	136					
	TBT#120OR2	120,0	254	140	152	78	106					
TRIPLE	TBT#200OR3	200,0	597	329	381	195	279					
	TBT#180OR3	180,0	558	342	342	175	249					
	TBT#150OR3	150,0	453	285	285	146	204					
	TBT#120OR3	120,0	381	228	285	146	159					

Colours not available: GRGR

PRICE ONLY FOR THE RECESSED PART (TBT recess) It includes the wall recessed part for connection to the Remote Valve Assembly and the support of the external part of TBT.

Model	HYDRAULIC VERSION	ELECTRIC VERSION	DUAL VERSION
SINGLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		
DOUBLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		
TRIPLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		

ELECTRIC ADJUSTERS

Electrical setting is via the use of the following thermostats that regulate the room temperature by interacting with up to max 5 radiators.

cod.ZRF007	cod.ZRF004	Code	Description	Price** (€)
		ZRF004*	Kit with WALL type room thermostat (radio frequency)	
		ZRF007*	Kit with WALL type room thermostat (radio frequency) with weekly PROGRAMMING	

** The price of the two kits mentioned above includes the wall box radiofrequency receiver that strictly must be installed.

REMOTE VALVE ASSEMBLY

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Connection of Remote Valve Assembly (GVR) to water system

	Code	Description	Finishes	Price (€)
	GVR#	RECESSED valve and lockshield assembly for remote connection	CHROME	
	GVRC#	RECESSED valve and lockshield assembly for remote connection	COLOUR	

For the GVRC code you must specify the colour required
The external finish of the GVR is only Glossy Chrome-plated


TBT VERTICAL

Vertical radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured

HW EL MX


ORDER EXAMPLE To correctly order this model follow the example specified below:

PRODUCT	TBT#120 VE 2 IDR CRO
TBT#120 VE 2	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
CRO	Colour code to be checked in the Tubes Colour Chart
RECESSED PART	INCTBT#120 2 IDR
INCTBT#120 2	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
ACCESSORIES	
Cod. GVR	One way Remote Valve Assembly, CHROME finish
Cod. GVRC#*	One way Remote Valve Assembly, COLOUR finish*
* Specify the color code, e.g.: 9010, after checking the Tubes Colour Chart	




CONNECTION TO WATER SYSTEM

The connection to the water and/or electric system is with the Recessed Part for TBT which can be ordered separately but is strictly required.



LAYOUT OF RECESSED PART



PRICE ONLY FOR THE EXTERNAL PART (TBT external) Includes the external TBT and everything required for installation to the recessed part (see below).

Model	H (cm)	Coloured version		Chrome plated version		Electric version	HYDRAULIC VERSION		ELECTRIC VERSION		DUAL VERSION	
		Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C		Coloured version (€)	Chrome plated version (€)	Coloured version (€)	Chrome plated version (€)	Coloured version (€)	Chrome plated version (€)
SINGLE	TBT#200VE1	200,0	193	103	118	63	93					
	TBT#180VE1	180,0	172	92	106	57	83					
	TBT#150VE1	150,0	149	80	88	47	68					
	TBT#120VE1	120,0	115	63	71	38	53					
DOUBLE	TBT#200VE2	200,0	386	207	236	126	186					
	TBT#180VE2	180,0	344	184	212	113	166					
	TBT#150VE2	150,0	298	160	176	94	136					
	TBT#120VE2	120,0	230	125	142	76	106					
TRIPLE	TBT#200VE3	200,0	579	310	354	189	279					
	TBT#180VE3	180,0	516	276	318	170	249					
	TBT#150VE3	150,0	447	240	264	141	204					
	TBT#120VE3	120,0	345	188	213	114	159					

Colours not available: GRRC

PRICE ONLY FOR THE RECESSED PART (TBT recess) It includes the wall recessed part for connection to the Remote Valve Assembly and the support of the external part of TBT.

Model	HYDRAULIC VERSION	ELECTRIC VERSION	DUAL VERSION
SINGLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		
DOUBLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		
TRIPLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		

ELECTRIC ADJUSTERS

Electrical setting is via the use of the following thermostats that regulate the room temperature by interacting with up to max 5 radiators.

cod. ZRF007	cod. ZRF004	Code	Description	Price** (€)
		ZRF004*	Kit with WALL type room thermostat (radio frequency)	
		ZRF007*	Kit with WALL type room thermostat (radio frequency) with weekly PROGRAMMING	

** The price of the two kits mentioned above includes the wall box radiofrequency receiver that strictly must be installed.

REMOTE VALVE ASSEMBLY

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Connection of Remote Valve Assembly (GVR) to water system


	Code	Description	Finishes	Price (€)
	GVR#	RECESSED valve and lockshield assembly for remote connection	CHROME	
	GVRC#	RECESSED valve and lockshield assembly for remote connection	COLOUR	

TBT BASE

Vertical radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured

ORDER EXAMPLE To correctly order this model follow the example specified below:

PRODUCT	TBT#150 BA1 IDR CRO
TBT#150 BA1	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
CRO	Colour code to be checked in the Tubes Colour Chart
RECESSED PART	INCTBTBA#IDR
INCTBTBA#	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
ACCESSORIES	
Cod. GVR	One way Remote Valve Assembly, CHROME finish
Cod. GVRC#*	One way Remote Valve Assembly, COLOUR finish*
* Specify the color code, e.g.: 9010, after checking the Tubes Colour Chart	



ELECTRIC ADJUSTERS

Electrical setting is via the use of the following thermostats that regulate the room temperature by interacting with up to max 5 radiators.

cod. ZRF007	cod. ZRF004	Code	Description	Price** (€)
		ZRF004*	Kit with WALL type room thermostat (radio frequency)	
		ZRF007*	Kit with WALL type room thermostat (radio frequency) with weekly PROGRAMMING	

** The price of the two kits mentioned above includes the wall box radiofrequency receiver that strictly must be installed.

TBT BASE

Vertical radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured



HW EL

FLOOR version WATER operating

Model	H (cm)	L (cm)	Coloured version		Chrome plated version		Coloured version (€)	Chrome plated version (€)
			Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C		
TBT150	150,0	14,5	149	80	88	47		
TBT180	180,0	14,5	172	92	106	57		

FLOOR version ELECTRIC OPERATING WITH EXTERNAL CORD

Model	H (cm)	L (cm)	Coloured version	Chrome plated version	Coloured version (€)	Chrome plated version (€)
			Watts	Watts		
TBT150	150,0	14,5	68	68		
TBT180	180,0	14,5	83	83		

FLOOR version ELECTRIC operating with RECESSED CORD

Model	H (cm)	L (cm)	Coloured version	Chrome plated version	Coloured version (€)	Chrome plated version (€)
			Watts	Watts		
TBT150	150,0	14,5	68	68		
TBT180	180,0	14,5	83	83		

Colours not available: GRCR

PRICE ONLY FOR THE RECESSED PART (TBT recess)

Includes the floor recessed part for connection to the Remote Valve Assembly and the support of the external part of TBT.

Model	HYDRAULIC VERSION	ELECTRIC VERSION HIDDEN WIRE
SINGLE INCTBTBA#...		

REMOTE VALVE ASSEMBLY

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Connection of Remote Valve Assembly (GVR) to water system

		Code	Description	Finishes	Price (€)
GVR#	RECESSED valve and lockshield assembly for remote connection	CHROME			
GVRC#	RECESSED valve and lockshield assembly for remote connection	COLOUR			