

Dimension
30x180 | 55x180

LIVINGSTONE





The feeling of natural stone makes the TRENDY radiating panel the right compromise for those who want a simple object but with a well-defined character.



Trendy

Stone:

- ~ white
- ~ coloured (see finishings table)
- ~ coloured in RAL scale

Frame:

- ~ matt black as standard
- ~ Livingstone® colours (see finishings table) or RAL scale upon request
- ~ provided with brackets for an easy and quick installation
- ~ can be accessorised (see table in accessories section)


Control panel:

- ~ the electronic display is standard in the electric and hybrid versions.
- ~ positioned on the right side (on left side upon request with no surcharge)
- ~ programmable

- ~ In the hydronic version the radiator is manually controlled through your home thermostat.

The texture of the radiating panel can be combined with Pietrablu products





ARTICLE	SIZE (LxH)	POWER	WHITE	COLOURED	RAL
8TRE0318	30X180	500 W	1.074	1.166	1.232
8TRE0511	55X110	750 W	1.085	1.172	1.248
8TRE0515	55X150	1000 W	1.221	1.313	1.401
8TRE0518	55X180	1400 W	1.297	1.401	1.493
Surcharge for frame in different finishing (black as standard)			65	65	82



ARTICLE	SIZE (LxH)	POWER Δt 50°C	WHITE	COLOURED	RAL
8TRW0318	30X180	480 W	1.123	1.210	1.286
8TRW0511	55X110	720 W	1.134	1.221	1.303
8TRW0515	55X150	1200 W	1.297	1.401	1.488
8TRW0518	55X180	1680 W	1.395	1.504	1.602
Surcharge for frame in different finishing (black as standard)			65	65	82



ARTICLE	SIZE (LxH)	POWER	POWER Δt 50°C	WHITE	COLOURED	RAL
8TRH0318	30X180	500 W	480 W	1.395	1.504	1.602
8TRH0511	55X110	750 W	720 W	1.406	1.515	1.613
8TRH0515	55X150	1000 W	1200 W	1.586	1.711	1.820
8TRH0518	55X180	1400 W	1680 W	1.717	1.848	1.957
Surcharge for frame in different finishing (black as standard)			65	65	82	

REMARKS



- _ Valves Kit to be ordered separately.
- _ It is possible to equip the radiator with different accessories.

TYPE:

⚡ Electric › 💧 Hydronic › ⚡💧 Hybrid

Configuration:

› ▬ horizontal › ▮ vertical
(Horizontal versions must not be installed vertically and viceversa)

Delivery time:

2/3 weeks

3/4 weeks