FOURSLIM SQUARE

TOWEL WARMER

From the line of the Fourslim emerges the towel warmer Fourslim Square with square tubular profile.
The versatility of this line allows the user to choose horizontal or vertical positioning.

 © FOURSTEEL 2018 · ALL RIGHTS RESERVED



Electric version: in the horizontal position the depth is 80mm.

			hidden electric element II			mixed version - wall valve + electric		
model			FSQ 800	FSQ 1200	FSQ 1400	FSQM 800	FSQM 1200	FSQM 1400
height	(mm)	a	800	1200	1400	880	1280	1480
width between axles	(mm)	b	645	945	1145	620	1020	1220
total width	(mm)	c	40	40	40	40	40	40
depth	(mm)	d	70	70	70	98	98	98
capacity	(l)		0,6	0,8	1,0	0,7	0,9	1,2
central heating	(W)		-	-	-	63	97	124
electric	(W)		40	100	150	40	100	150



MATERIAL stainless steel

FINISHINGS

POLISHED BRUSHED TEXTURED BLACK WHITE RAL COLOUR

TITANIUM FINISH *

GOLD COPPER

 © FOURSTEEL 2018 · ALL RIGHTS RESERVED

* Maximum dimensions must not exceed 1050x1050mm

ELECTRIC VERSION
WITH HIDDEN ELEMENT II

(electric cable)



domotic touch (optional)

ACCESSORIES

WALL VALVE

MIMOO
SWITCH

DOMOTIC
TOUCH

CENTRAL HEATING
solution 1

The connection of water inlet is done by a system of wall valves outside of the product.

 © FOURSTEEL 2018 · ALL RIGHTS RESERVED

Hidden valves
Water connections



			central heating - wall valve system			central heating - valves		
model			FSQA 800	FSQA 1200	FSQA 1400	FSQA 800	FSQA 1200	FSQA 1400
height	(mm)	a	800	1200	1400	800	1200	1400
width between axles	(mm)	b	620	1020	1220	620	1020	1220
total width	(mm)	c	40	40	40	40	40	40
depth	(mm)	d	98	98	98	128	128	128
capacity	(l)		0,7	0,9	1,2	0,7	0,9	1,2
central heating	(W)		63	97	124	63	97	124