


WIND


WIND is the first multicolumn radiator with very low water content. The WIND mini-column radiators are built using elements from three to six columns, made from circular

cross section radiating tubes of high quality steel of $\varnothing 15$ mm. Depending on the number requested, the batteries of elements are obtained by welding the required number

together. The WIND mini-column radiators are produced as standard in white "sablé" on request they can be painted in one of the colors from the Brem list.



MODEL W 3 with 3 radiating tubes element
 MODEL W 4 with 4 radiating tubes element
 MODEL W 5 with 5 radiating tubes element
 MODEL W 6 with 6 radiating tubes element




ELEMENT STEP: PE = 3 cm

TUBES DIAMETER: $\varnothing = 1,5$ cm

LENGTH OF RADIATORS (± 3 mm):
 number of elements x 3 cm


Rear metal reinforcement from 21 elements



TAPPING CENTRES


Side fittings
 AC - BD
 AD - BC
 $\blacktriangle \nabla$ (t.c.)=H-4,6 cm

Vertical fittings EG
 Art. EGW 70,40€
 $\blacktriangle \nabla$ (t.c.)=L-6 cm




H= from 29 to 200 cm

L= from 30 to 108 cm (every 3 cm)



Distance between connection and wall

W 3	Art. 131	y = 5 cm
W 4	Art. 131	y = 5,5 cm
W 5	Art. 151	y = 7 cm
W 6	Art. 151	y = 7,5 cm



Adjustable depth of brackets (y): ± 1 cm

TAPPING CENTRES ± 6 CM


Use chrome plated offset couplings to adjust the tapping centres up to 6 cm (Art. EC.. page 294)



eg.: W 3075 - 19 el, CD $\varnothing 1/2"$, RAL6005

STANDARD FITTINGS $\varnothing 1/2"$

AC - BD / AD - BC
 Fittings on request, page 292



HOW TO ORDER

State: model, number of columns, height in cm, number of elements; connection and color.

STANDARD SERIES VERSIONS





White "sablé" paintwork - white brackets
 Tolerance ± 3 mm - Air vent $\varnothing 1/2"$
 Maximum working pressure: 8 Bar

VERSIONS AVAILABLE ON REQUEST

Brem color chart painting with colored brackets in the some color +15/25%
 Batteries with non standard n° of elements.


WIND

MOD.	H cm	▲▼ cm	p cm	n° L	el cm	1el (3)	10el (30)	11el (33)	12el (36)	13el (39)	14el (42)	15el (45)	16el (48)	17el (51)	18el (54)	19el (57)	20el (60)
W 3065	66,6	62	6,5	€	20,60 42w	205,90 417w	226,40 459w	247,00 500w	267,50 542w	288,20 584w	308,80 625w	329,40 667w	349,90 709w	370,50 750w	391,00 792w	411,70 834w	
W 3075	76,6	72	6,5	€	21,80 48w	217,40 484w	239,20 533w	261,00 581w	282,70 630w	304,40 678w	326,30 727w	347,90 775w	369,70 824w	391,30 872w	413,20 921w	434,80 969w	
W 3085	86,6	82	6,5	€	22,80 54w	228,90 541w	251,90 595w	274,80 649w	297,80 703w	320,70 757w	343,60 811w	366,50 865w	389,40 919w	412,30 973w	435,00 1028w	458,10 1082w	
W 3180	178,3	173,7	6,5	€	51,00 107w	507,50 1070w	558,10 1177w	608,80 1284w	659,60 1391w	710,30 1499w	761,00 1606w	811,70 1713w	862,60 1820w	913,20 1927w	964,00 2034w	1014,6 2141w	
W 3200	198,3	193,7	6,5	€	56,80 118w	566,80 1183w	623,50 1301w	680,20 1420w	736,70 1538w	793,50 1656w	850,10 1775w	907,00 1893w	963,40 2011w	1020,2 2129w	1076,8 2248w	1133,6 2366w	
W 4065	66,6	62	8,9	€	23,50 52w	234,90 518w	258,30 570w	281,80 622w	305,30 674w	328,80 726w	352,20 777w	375,80 829w	399,30 881w	422,80 933w	446,20 985w	469,70 1037w	
W 4075	76,6	72	8,9	€	24,80 60w	246,50 597w	271,20 657w	295,80 717w	320,40 776w	345,00 836w	369,70 896w	394,40 955w	419,00 1015w	443,60 1075w	468,20 1135w	492,90 1194w	
W 4085	86,6	82	8,9	€	25,80 68w	257,90 676w	283,90 744w	309,70 811w	335,60 879w	361,30 946w	387,20 1014w	412,80 1082w	438,50 1149w	464,40 1217w	490,10 1284w	516,00 1352w	
W 4180	178,3	173,7	8,9	€	55,30 131w	552,40 1307w	607,60 1438w	662,80 1568w	718,00 1699w	773,20 1830w	828,50 1960w	883,70 2091w	938,90 2222w	994,10 2353w	1049,3 2483w	1104,5 2614w	
W 4200	198,3	193,7	8,9	€	61,50 145w	616,20 1453w	677,70 1599w	739,30 1744w	800,90 1889w	862,60 2035w	924,10 2180w	985,70 2326w	1047,3 2471w	1109,0 2616w	1170,6 2762w	1232,1 2907w	
W 5027	29,1	24,5	11,3	€	22,70 27w	227,70 270w	250,20 297w	272,90 324w	295,90 352w	318,50 379w	341,40 406w	364,20 433w	387,00 460w	409,70 487w	432,30 514w	455,20 541w	
W 5053	54,6	50	11,3	€	26,10 53w	261,00 530w	287,10 583w	313,00 635w	339,10 688w	365,10 741w	391,30 794w	417,60 847w	443,60 900w	469,70 953w	495,70 1006w	521,90 1059w	
W 5065	66,6	62	11,3	€	26,40 63w	265,30 631w	291,90 694w	318,30 757w	344,80 820w	371,40 883w	397,80 946w	424,40 1010w	451,10 1073w	477,50 1136w	504,00 1199w	530,70 1262w	
W 5075	76,6	72	11,3	€	28,00 73w	279,90 732w	307,80 806w	335,80 879w	363,80 952w	391,80 1025w	419,60 1099w	447,40 1172w	475,60 1245w	503,70 1318w	531,60 1391w	559,60 1465w	
W 5085	86,6	82	11,3	€	28,80 82w	288,50 822w	317,30 905w	346,10 987w	375,00 1069w	403,80 1151w	432,50 1234w	461,60 1316w	490,20 1398w	519,20 1480w	548,00 1563w	576,90 1645w	
W 6027	29,1	24,5	13,7	€	25,00 34w	248,00 338w	272,60 372w	297,60 406w	322,10 439w	347,20 473w	371,80 507w	396,60 541w	421,30 575w	446,20 608w	470,80 642w	495,70 676w	
W 6053	54,6	50	13,7	€	29,10 64w	291,30 642w	320,50 706w	349,70 771w	378,90 835w	407,90 899w	437,00 963w	466,10 1028w	495,40 1092w	524,50 1156w	553,60 1220w	582,80 1284w	
W 6065	66,6	62	13,7	€	30,00 77w	300,20 766w	330,10 843w	360,10 919w	390,20 996w	420,10 1073w	450,00 1149w	480,10 1226w	510,20 1302w	540,10 1379w	570,10 1456w	600,10 1532w	
W 6075	76,6	72	13,7	€	31,10 88w	311,70 879w	342,70 967w	374,00 1055w	405,20 1142w	436,50 1230w	467,50 1318w	498,60 1406w	529,80 1494w	561,00 1582w	592,30 1670w	623,40 1758w	
W 6085	86,6	82	13,7	€	32,50 97w	323,50 969w	355,50 1066w	388,00 1163w	420,20 1260w	452,50 1357w	484,80 1453w	517,10 1550w	549,70 1647w	581,80 1744w	614,20 1841w	646,50 1938w	




Δt different from 50 K: technical data Brem

Mod. Wind number columns height cm number elements
 W 3075 - 19 el
 E.g.: W 3075-19, AC 1/2", BR0007



PRODUCTION ON REQUEST
 3 - 9 el. batteries extra charge 22,40€
 Batteries with more than 40 el.
 extra charge for each radiator 48,80€

21el (63)	22el (66)	23el (69)	24el (72)	25el (75)	26el (78)	27el (81)	28el (84)	29el (87)	30el (90)	31el (93)	32el (96)	33el (99)	34el (102)	35el (105)	36el (108)	MOD. H cm
432,20 875w	452,80 917w	473,30 959w	493,90 1001w	514,60 1042w	535,20 1084w	555,70 1126w	576,20 1167w	596,80 1209w	617,50 1251w	638,10 1292w	658,60 1334w	679,20 1376w	699,80 1417w	720,50 1459w	741,10 1501w	€ W 3065
456,60 1017w	478,20 1066w	500,30 1114w	521,90 1163w	543,60 1211w	565,30 1260w	587,20 1308w	608,80 1357w	630,70 1405w	652,20 1453w	674,00 1502w	695,90 1550w	717,60 1599w	739,30 1647w	761,00 1696w	782,80 1744w	€ W 3075
480,80 1136w	503,90 1190w	526,70 1244w	549,80 1298w	572,50 1352w	595,40 1406w	618,40 1460w	641,30 1514w	664,20 1568w	687,10 1622w	710,00 1677w	732,90 1731w	755,80 1785w	778,70 1839w	801,70 1893w	824,50 1947w	€ W 3085
1065,5 2248w	1116,2 2355w	1166,9 2462w	1217,7 2569w	1268,4 2676w	1319,1 2783w	1369,8 2890w	1420,6 2997w	1471,3 3104w	1522,1 3211w	1572,7 3318w	1623,4 3425w	1674,4 3532w	1724,9 3639w	1775,8 3746w	1826,4 3853w	€ W 3180
1190,2 2484w	1246,8 2603w	1303,6 2721w	1360,2 2839w	1416,9 2958w	1473,7 3076w	1530,3 3194w	1586,9 3312w	1643,7 3431w	1700,4 3549w	1757,1 3667w	1813,6 3786w	1870,3 3904w	1927,0 4022w	1983,6 4141w	2040,4 4259w	€ W 3200
493,10 1088w	516,70 1140w	540,10 1192w	563,50 1244w	587,20 1296w	610,70 1348w	634,00 1399w	657,60 1451w	681,10 1503w	704,50 1555w	727,80 1607w	751,50 1659w	774,80 1710w	798,30 1762w	822,10 1814w	845,30 1866w	€ W 4065
517,60 1254w	542,20 1314w	566,80 1373w	591,20 1433w	616,20 1493w	640,60 1553w	665,50 1612w	690,00 1672w	714,70 1732w	739,30 1791w	764,00 1851w	788,50 1911w	813,30 1971w	837,80 2030w	862,60 2090w	887,00 2150w	€ W 4075
541,70 1420w	567,60 1487w	593,40 1555w	619,20 1622w	645,00 1690w	670,70 1758w	696,50 1825w	722,30 1893w	748,30 1960w	774,00 2028w	799,90 2096w	825,80 2163w	851,60 2231w	877,40 2298w	903,20 2366w	928,90 2434w	€ W 4085
1159,8 2745w	1215,0 2875w	1270,2 3006w	1325,4 3137w	1380,7 3267w	1436,0 3398w	1491,2 3529w	1546,3 3660w	1601,6 3790w	1656,8 3921w	1712,1 4052w	1767,2 4182w	1822,6 4313w	1877,7 4444w	1933,0 4574w	1988,1 4705w	€ W 4180
1293,7 3052w	1355,3 3198w	1416,9 3343w	1478,6 3488w	1540,2 3634w	1601,8 3779w	1663,4 3924w	1724,9 4070w	1786,6 4215w	1848,2 4360w	1909,9 4506w	1971,4 4651w	2032,9 4796w	2094,7 4942w	2156,2 5087w	2217,8 5232w	€ W 4200
477,90 568w	500,80 595w	523,50 622w	546,20 649w	569,00 676w	591,60 703w	614,40 730w	637,20 757w	660,10 784w	682,80 811w	705,50 838w	728,30 865w	751,00 892w	773,70 919w	796,70 946w	819,30 973w	€ W 5027
547,90 1112w	574,10 1165w	600,10 1218w	626,20 1271w	652,20 1324w	678,40 1377w	704,50 1430w	730,60 1483w	756,70 1536w	782,80 1589w	808,90 1642w	835,00 1695w	861,10 1748w	887,00 1800w	913,20 1853w	939,20 1906w	€ W 5053
557,10 1325w	583,50 1388w	610,10 1451w	636,70 1514w	663,20 1577w	689,80 1640w	716,20 1704w	742,80 1767w	769,30 1830w	795,80 1893w	822,40 1956w	849,00 2019w	875,40 2082w	901,80 2145w	928,40 2208w	954,90 2271w	€ W 5065
587,60 1538w	615,40 1611w	643,60 1684w	671,60 1758w	699,30 1831w	727,30 1904w	755,30 1977w	783,30 2051w	811,30 2124w	839,40 2197w	867,30 2270w	895,30 2344w	923,20 2417w	951,10 2490w	979,10 2563w	1007,0 2636w	€ W 5075
605,80 1727w	634,70 1809w	663,40 1892w	692,30 1974w	721,30 2056w	750,00 2138w	778,80 2221w	807,70 2303w	836,80 2385w	865,40 2467w	894,10 2550w	922,90 2632w	951,90 2714w	980,80 2796w	1009,5 2879w	1038,5 2961w	€ W 5085
520,60 710w	545,20 744w	570,10 777w	594,90 811w	619,80 845w	644,40 879w	669,40 913w	694,00 946w	718,90 980w	743,70 1014w	768,30 1048w	793,20 1082w	817,80 1115w	842,80 1149w	867,60 1183w	892,30 1217w	€ W 6027
611,70 1349w	641,10 1413w	670,10 1477w	699,20 1541w	728,40 1606w	757,60 1670w	786,50 1734w	815,80 1798w	844,80 1862w	874,20 1927w	903,30 1991w	932,40 2055w	961,40 2119w	990,60 2184w	1019,9 2248w	1048,9 2312w	€ W 6053
630,00 1609w	660,20 1686w	690,10 1762w	719,90 1839w	750,20 1915w	780,20 1992w	810,00 2069w	840,10 2145w	870,20 2222w	900,30 2298w	930,00 2375w	960,20 2452w	990,30 2528w	1020,2 2605w	1050,2 2682w	1080,2 2758w	€ W 6065
654,50 1846w	685,80 1933w	716,70 2021w	747,90 2109w	779,10 2197w	810,40 2285w	841,50 2373w	872,60 2461w	903,80 2549w	935,10 2636w	966,10 2724w	997,20 2812w	1028,4 2900w	1059,9 2988w	1090,9 3076w	1122,0 3164w	€ W 6075
678,80 2035w	711,10 2132w	743,30 2229w	775,90 2326w	808,20 2422w	840,40 2519w	872,70 2616w	905,10 2713w	937,40 2810w	969,80 2907w	1002,1 3004w	1034,4 3101w	1066,8 3198w	1098,9 3294w	1131,4 3391w	1163,7 3488w	€ W 6085



FITTINGS Ø 1/2" ON REQUEST

EG - GE with sleeve and baffle
(tapp. centres: L - 6 cm) Art. EGW 70,40€

CD - DC with baffle
(tapping centres: L+8,4 cm) Art. AS 70,40€

Rear metal reinforcement from 21 elements

STANDARD FITTING
Ø 1/2"
AC - BD / AD - BC

