


Cyklon V



colour included
in the price



Cyklon V 1600↑ × 4
colour: RAL 3020

Integrated thermostatic valve, angled, left, chrome
SLIM thermostatic head, chrome
Integrated pipe-masking set, chrome




Cyklon V




Design: Maja Zalewska, Marek Kostykiewicz (M4M)

Standard connection:



Available sizes:




Specification:

Working pressure: 700 kPa Maximum operating temperature: 95°C

A ↓ [mm]	B ↔ [mm]	C1 [mm]	75/65/20°C [W]	55/45/20°C [W]	D [mm]	E [mm]	F [mm]	H [dm³]	⚖️ [kg]	Product code <small>Configuration code p. 5</small>
1600	410	50	704	375	170	1400	100	3,98	21,07	WGCVV160041
1600	495	50	845	451	255	1400	100	4,78	25,31	WGCVV160049
1900	410	50	832	439	170	1700	100	4,67	24,75	WGCVV190041
1900	495	50	999	528	255	1700	100	5,61	29,73	WGCVV190049
1900	580	50	1166	616	340	1700	100	6,56	34,71	WGCVV190058


Technical drawing:



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres
E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

Collector:

Pipe:





In the table with technical data, the last column lists product codes. When placing an order, please remember to quote the product code followed by the configuration code as shown in the diagram below:

The construction of a water and dual fuel radiator product and configuration code:

WGCYV160041

K916YL

PRODUCT CODE

(located in the table for the product)

CONFIGURATION CODE

(supplemented by hand)

Example Configuration

K 916 YL

Package code

K - carton box

Colour code

Connection code

Epoxy primer

E – Code of epoxy primer is an extra processes.

WGCYV160041 K916YL **E** — *Extra processes or additions code*

Cyklon V



Legend




Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator. The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.



Available in chrome finish.



No additional payment for a color.