



# Iron S



 colour included  
in the price



**Iron S** 1315 $\downarrow$  × 500 $\leftrightarrow$  GD  
colour: Metallic Red

Integrated thermostatic valve, angled, left, chrome  
SLIM thermostatic head, chrome  
Integrated pipe-masking set, chrome

# Iron S



colour included  
in the price

Design : *Terma*

















## Connections:



Electric radiators:



## Available sizes:





# Iron S



 colour included  
in the price

## Specification:

Working pressure: 600 kPa    Maximum operating temperature: 95°C

A ↓ [mm]	B ↔ [mm]	C1 [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	D [mm]	E [mm]	F [mm]	H [dm³]	 [kg]	Product code <small>Configuration code p. 5</small>
730	400	50	461	246	400	50	530	100	3,30	13,28	WGIRS073040
730	500	50	567	302	600	50	530	100	3,90	15,76	WGIRS073050
730	600	50	672	357	800	50	530	100	4,51	18,27	WGIRS073060
925	400	50	578	307	600	50	725	100	4,34	17,35	WGIRS092040
925	500	50	712	378	800	50	725	100	5,14	20,66	WGIRS092050
925	600	50	843	446	800	50	725	100	5,95	23,98	WGIRS092060
1120	400	50	695	368	800	50	920	100	5,37	21,41	WGIRS112040
1120	500	50	855	452	800	50	920	100	6,37	25,55	WGIRS112050
1120	600	50	1012	535	1000	50	920	100	7,38	29,71	WGIRS112060
1315	400	50	810	427	800	50	1115	100	6,40	25,47	WGIRS131040
1315	500	50	996	525	1000	50	1115	100	7,61	30,44	WGIRS131050
1315	600	50	1180	622	1200	50	1115	100	8,82	35,43	WGIRS131060
1510	400	50	924	486	1000	50	1310	100	7,44	29,53	WGIRS151040
1510	500	50	1137	598	1200	50	1310	100	8,84	35,33	WGIRS151050
1510	600	50	1347	709	1500	50	1310	100	10,25	41,16	WGIRS151060
1705	400	50	1037	545	1000	50	1505	100	8,47	33,60	WGIRS170040
1705	500	50	1276	670	1200	50	1505	100	10,08	40,22	WGIRS170050
1705	600	50	1511	794	1500	50	1505	100	11,69	46,88	WGIRS170060


# Iron S



colour included  
in the price

## Technical drawing:



GD



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres  
E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

Collector:

Pipe:





colour included  
in the price

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

## The construction of a water and dual fuel radiator product and configuration code:

WGIRS073040

PRODUCT CODE  
(located in the table for the product)

K916GD

CONFIGURATION CODE  
(supplemented by hand)

### Example Configuration

**K 916 GD**

Package code      Colour code      Connection code  
*K - carton box*

## Construction of electric heater configuration code:

WLIRS073040

PRODUCT CODE  
(located in the table for the product)

K916E1DRYW

CONFIGURATION CODE  
(supplemented by hand)

### Example Configuration

**K 916 E1 DRY W**

Package code      Colour code      Connection code      Heating element code      Type of heating element cable code  
*K - carton box*

## Epoxy primer

**E** – Code of epoxy primer is an extra processes.

WGIRS073040 K916GD **E** — Extra processes or additions code

# Iron S



colour included  
in the price

## Legend



Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator. The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.



Available in chrome finish.