

Light, minimal and essential, SOUL reinterprets any environment. Its linear perspectives are the expression of the evolution, fascinating encounter between a round collector and a flat profile, able to influence and characterize the bathroom's environment enhancing its personality.



Soul, Vertical, Hight 1418 mm, Lenght 550 mm, Standard White

Construction features

steel towel warmer radiator with horizontal elements featuring rectangular 50x10 mm section tubes
side round manifolds with a 30 mm diameter
manifold threading 1/2" Gas right
maximum working pressure 4 bar
maximum working temperature 95°C
50 mm connection

Standard equipment

4 adjustable wall fixing brackets in the same color of the radiator
2 1/2" hidden airvents complete with valve cover

Certifications



Plus



Technical data

Model	Depth (mm)	Height (mm)	Width (mm)	Conn. C. (mm)	Weight (kg)	Capacity (lt)	COM_PRODUCTS_TABLE_DATA_BTU	$\Delta t=50^{\circ}\text{C}$ (kcal/h)	$\Delta t=50^{\circ}\text{C}$ (Watt)	$\Delta t=40^{\circ}\text{C}$ (Watt)	$\Delta t=30^{\circ}\text{C}$ (Watt)	$\Delta t=20^{\circ}\text{C}$ (Watt)	Exponent	mixed oper. (Watt)
-------	------------	-------------	------------	---------------	-------------	---------------	-----------------------------	--	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	----------	--------------------

DX

1054 14 tubi 3 intervalli	50,0	1054	550	50	9,60	3,90	1.631,0	478,0	478,0	362,0	253,0	152,0	1,249	400
1418 19 tubi 4 intervalli	50,0	1418	550	50	12,90	5,30	2.160,0	633,0	633,0	479,0	334,0	201,0	1,253	700
1754 25 tubi 4 intervalli	50,0	1754	550	50	16,80	6,90	2.801,0	821,0	821,0	621,0	433,0	261,0	1,252	1000

SX

1054 14 tubi 3 intervalli	50,0	1054	550	50	9,60	3,90	1.631,0	478,0	478,0	362,0	253,0	152,0	1,249	400
1418 19 tubi 4 intervalli	50,0	1418	550	50	12,90	5,30	2.160,0	633,0	633,0	479,0	334,0	201,0	1,253	700
1754 25 tubi 4 intervalli	50,0	1754	550	50	16,80	6,90	2.801,0	821,0	821,0	621,0	433,0	261,0	1,252	1000

Thanks to the high performance of Irsap Soul radiators, the ideal Δt for low temperature projects is Δt at 30°C .

For Δt different from 50°C use the formula $Q=Q_n (\Delta t / 50)^n$.

Standard equipment


- 4 adjustable wall fixing brackets in the same color of the radiator
- 2 1/2" hidden airvents complete with valve cover

Packing

The attention that Irsap lavishes on each radiator is also evident in the care given to packaging. Every radiator is protected with packaging caps in shockresistant material; this extra protection prevents damage and scratching during both shipping and handling onsite. All the packaging must be disposed in conformity with the regulations in force, acknowledged by the respective bodies.


Colors and Finishes

STANDARD




Bianco Standard
Cod. 01


CLASSIC




Bianco Edelweiss
Cod. 34



Avorio - RAL 1013
Cod. 02




Beige Cream
Cod. 26




Giallo - RAL 1021
Cod. 04




Giallo Melone - RAL
1028
Cod. E7




Arancio - RAL 2004
Cod. 17




Marrone Ruggine -
RAL 8004
Cod. E1



Marrone - RAL 8017
Cod. 09




Amaranto - RAL 3003
Cod. 06



Rosso - RAL 3000
Cod. 05




Rosso Fragola - RAL
3018
Cod. Y3



Rosa - RAL 3015
Cod. R2




Lilla Bluastro - RAL
4005
Cod. R3




Porpora Traffico -
RAL 4006
Cod. R6




Verde Bosco - RAL
6005
Cod. 19




Verde Erba - RAL
6018
Cod. N3




Verde Salvia - RAL
6021
Cod. E6




Blu Pastello - RAL
5024
Cod. G7



Grigio Manhattan
Cod. 03




Nero - RAL 9005
Cod. 10




Deep Blue
Cod. 2F


SPECIAL



Bianco Perla
Cod. 16



Quartz 1
Cod. 1C




Sablé
Cod. Y4




Quartz 2
Cod. 2C




Sunstone
Cod. 2D




Bruno Tabacco
Cod. 1B




Flame Red
Cod. 7D




Purple Blue
Cod. 1D




Azurite 3
Cod. 6C



Grigio Medio
Cod. 4D



Grigio Titanio
Metallizzato - RAL
9023
Cod. L3




Grigio Perla
Cod. L6




Nero Grafite
Cod. 18




Grigio Quarzo
Cod. 31




Nero Satinato
Cod. 30



Bianco Opaco
Cod. J8




Nero Opaco
Cod. K1




Agave
Cod. 9N




Blu Baltico
Cod. 1P




Ghiaccio
Cod. 3P




Blu Colomba Opaco
Cod. 4P




Grigio Chiaro Opaco
Cod. 8N



Grigio Cenere - Ral
7021
Cod. G1




Grigio Martellato
Cod. 32



Rame Martellato
Cod. J4

FINISHES



Trattamento Loft
Cod. TR

The Colors used in this folder are not considered binding. The different technological painting processes and the materials used for the realization can not have a perfect color match with the delivered product. Irsap company reserves the right to introduce at any time whatever modifications necessary to the improvement of the product.

Light, minimal and essential, SOUL reinterprets any environment. Its linear perspectives are the expression of the evolution, fascinating encounter between a round collector and a flat profile, able to influence and characterize the bathroom's environment enhancing its personality.



Soul Elettrico, Vertical, Hight 1418 mm, Lenght 550 mm, Electric with wireless electronic control, Medium Grey

Construction features

steel towel warmer radiator with horizontal elements featuring rectangular 50x10 mm section tubes
side round manifolds with a 30 mm diameter
thermal fluid
long electricity cable: 1.200 mm, schuko plug

Standard equipment

4 adjustable wall fixing brackets in the same color of the radiator
Wireless Remote control

Certifications




Plus




Colors and Finishes

STANDARD




Bianco Standard
Cod. 01


CLASSIC




Bianco Edelweiss
Cod. 34



Avorio - RAL 1013
Cod. 02




Beige Cream
Cod. 26




Giallo - RAL 1021
Cod. 04




Giallo Melone - RAL
1028
Cod. E7




Arancio - RAL 2004
Cod. 17




Marrone Ruggine -
RAL 8004
Cod. E1




Marrone - RAL 8017
Cod. 09




Amaranto - RAL 3003
Cod. 06




Rosso - RAL 3000
Cod. 05




Rosso Fragola - RAL
3018
Cod. Y3



Rosa - RAL 3015
Cod. R2



Lilla Bluastro - RAL
4005
Cod. R3




Porpora Traffico -
RAL 4006
Cod. R6




Verde Bosco - RAL
6005
Cod. 19




Verde Erba - RAL
6018
Cod. N3




Verde Salvia - RAL
6021
Cod. E6




Blu Pastello - RAL
5024
Cod. G7



Grigio Manhattan
Cod. 03




Nero - RAL 9005
Cod. 10




Deep Blue
Cod. 2F


SPECIAL



Bianco Perla
Cod. 16



Quartz 1
Cod. 1C




Sablé
Cod. Y4




Quartz 2
Cod. 2C




Sunstone
Cod. 2D




Bruno Tabacco
Cod. 1B




Flame Red
Cod. 7D




Purple Blue
Cod. 1D




Azurite 3
Cod. 6C



Grigio Medio
Cod. 4D



Grigio Titanio
Metallizzato - RAL
9023
Cod. L3




Grigio Perla
Cod. L6




Nero Grafite
Cod. 18




Grigio Quarzo
Cod. 31




Nero Satinato
Cod. 30



Bianco Opaco
Cod. J8




Nero Opaco
Cod. K1




Agave
Cod. 9N




Blu Baltico
Cod. 1P




Ghiaccio
Cod. 3P




Blu Colomba Opaco
Cod. 4P




Grigio Chiaro Opaco
Cod. 8N



Grigio Cenere - Ral
7021
Cod. G1




Grigio Martellato
Cod. 32



Rame Martellato
Cod. J4

FINISHES



Trattamento Loft
Cod. TR

The Colors used in this folder are not considered binding. The different technological painting processes and the materials used for the realization can not have a perfect color match with the delivered product. Irsap company reserves the right to introduce at any time whatever modifications necessary to the improvement of the product.